



Edit an existing query  
or compose a new  
query in the Search  
Query Display.

Thu, 8 Dec 2005, 9:07:12 PM EST

Search Query Display



**Select a search  
number (#) to:**

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

<u>#1</u>	((working or primary) and (protect* or spare) and (fail* or fault))<in>metadata)	720
<u>#2</u>	(((((working or primary) and (protect* or spare) and (fail* or fault))<in>metadata))<AND>(shunt* or node or network or path*<in>metadata))	458
<u>#3</u>	(((((working or primary) and (protect* or spare) and (fail* or fault))<in>metadata))<AND>(shunt* or node or network or path*<in>metadata))	458
<u>#4</u>	( alternate paths<in>de)	40
<u>#5</u>	( alternate paths<in>de)	40
<u>#6</u>	( backup paths<in>de)	94
<u>#7</u>	( backup paths<in>de)	94



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(("6163525") or ("6047331") or ("5835482") or ("5179548") or ("5146452") or ("4956835")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 19:29
L2	6646	working with protection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 19:29
L3	109349	shunt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 19:29
L4	33	2 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 19:44
L5	5232675	upstream\$3 or downstream\$3 or up or down or uplink\$3 or downlink\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 19:44
L6	846	2 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 19:45
L7	1186927	fail\$5 or fault\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 19:45
L8	237	6 same 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:39
L9	323	3 same work\$3 same protect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:40
L10	40	9 same 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:40
L11	30	10 not 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:41

L12	175268	backup\$1 or back adj up\$1 or "back-up"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:42
L13	22338	12 with (primary or protect\$3 or work\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:42
L14	5842	13 same 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:43
L15	0	370/clas	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:43
L16	86790	"370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:44
L17	20555	"398".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:45
L18	719	14 and (16 or 17)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:46
L19	669	18 not 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:47
L20	634	19 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:47
L21	2803	14 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 20:48
L22	330	21 and (16 or 17)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 21:08

L23	49778	(working or primary) with (protect\$4 or spare\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 21:08
L24	2747	23 with 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 21:09
L25	28	24 same shunt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 21:10
L26	1047	23 same 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 21:10
L27	503	26 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 21:11
L28	467	27 not 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 21:11
L29	72	28 and (16 or 17)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 21:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	374	((primary or working) with (protect\$3 or spare\$1) with (fault\$1 or fail\$5)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 21:22